COPYRIGHT[©] 2017 EDIZIONI MINERVA MEDICA



© 2017 EDIZIONI MINERVA MEDICA Online version at http://www.minervamedica.it European Journal of Physical and Rehabilitation Medicine 2017 April;53(2):151-2 DOI: 10.23736/S1973-9087.17.04765-7

INTRODUCTION

"REHABILITATION 2030: A CALL FOR ACTION" BY THE WORLD HEALTH ORGANIZATION (WHO)

Introduction to the Special Section "Rehabilitation 2030: a call for action" by the World Health Organization (WHO)

Stefano NEGRINI 1,2 *

¹Clinical and Experimental Sciences Department, University of Brescia, Brescia, Italy; ²IRCCS Fondazione Don Gnocchi, Milan, Italy

*Corresponding author: Stefano Negrini, Clinical and Experimental Sciences Department, University of Brescia, Brescia, Italy. E-mail: stefano.negrini@unibs.it

The World Health Organization (WHO) proposes "Rehabilitation 2030: a call for action". This has been started with a Meeting held in Genève on February 6-7 2017 in the Executive Board Room of its headquarters. The European Journal of Physical and Rehabilitation Medicine (EJPRM) decided to propose a Special Section in the first possible issue to focus on this Meeting, which could be the starting point of a world effort of paramount importance for Physical and Rehabilitation Medicine (PRM) and its future. The EJPRM was officially invited as a stakeholder to the Meeting through its Chief-Editor, Stefano Negrini, that also represented the new-born Cochrane Rehabilitation.

This Special Section includes:

- a reprint of an Editorial written for the WHO Bullettin,¹ by Etienne Krug and Alarcos Cieza, from the Department for the Management of Noncommunicable Diseases, Disability, Violence and Injury Prevention, WHO; they organized and chaired the Meeting;
- a complete and focused report ² by Francesca Gimigliano (who participated at the Meeting as the General Secretary of ISPRM, together with its President Jorge Lains) and Stefano Negrini;
 - a commentary ³ by the EJPRM Chief-Editor, Stefano Negrini, to start a discussion on the topic.

Knowing about this Meeting, even if its contents were not yet known, a focused campaign has been started by the EJPRM already in the first issue of this year, with the papers by Gutenbrunner,⁴ and the Special Section by Stucki *et al.*⁵⁻⁷

We are planning to produce more papers on the topic in the next future, involving all the most important actors, so to help pushing forward the action called by WHO: in fact, we think that this action is really required by the clinical rehabilitation world.

References

- 1. Krug E, Cieza A. Strengthening health systems to provide rehabilitation services. Eur J Phys Rehabil Med 2017;53:153-4.
- 2. Gimigliano F, Negrini Š. The World Health Organization "Rehabilitation 2030: a call for action". Eur J Phys Rehabil Med 2017;53:155-68.
- 3. Negrini S. Commentary: Chances and challenges of "Rehabilitation 2030: a call for action" by the World Health Organization: a unique opportunity not to be missed. Eur J Phys Rehabil Med 2017;53:169-72.
- 4. Gutenbrunner C, Nugraha B. Physical and rehabilitation medicine: responding to health needs from individual care to service provision. Eur J Phys Rehabil Med 2017;53:1-6.
- 5. Stucki G, Bickenbach J. Functioning: the third health indicator in the health system and the key indicator for rehabilitation. Eur J Phys Rehabil Med 2017;53:134-8.

COPYRIGHT[©] 2017 EDIZIONI MINERVA MEDICA

NEGRINI

INTRODUCTION TO THE SPECIAL SECTION "REHABILITATION 2030"

- Stucki G, Bickenbach J. Functioning information in the learning health system. Eur J Phys Rehabil Med 2017;53:139-43.
 Stucki G, Prodinger B, Bickenbach J. Four steps to follow when documenting functioning with the International Classification of Functioning, Disability and Health. Eur J Phys Rehabil Med 2017;53:144-9.

Conflicts of interest.—The authors certify that there is no conflict of interest with any financial organization regarding the material discussed in the manuscript. (Cite this article as: Negrini S. Introduction to the Special Section "Rehabilitation 2030: a call for action" by the World Health Organization (WHO). Eur J Phys Rehabil Med 2017;53:151-2. DOI: 10.23736/S1973-9087.17.04765-7)